

Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates, California Counties & Selected City Health Jurisdictions, 2000–2004 Provisional Data

COUNTY	2000		2001		2002		2003		2004	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	82	15.4	62	11.8	49	9.3	69	12.8	64	11.7
Alameda	3	13.5	4	18.2	-	-	4	18.5	1	4.6
— Berkeley ¹	-	-	-	-	-	-	-	-	-	-
Alpine	-	-	-	-	-	-	-	-	-	-
Amador	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Calaveras	-	-	-	-	-	-	-	-	-	-
Colusa	-	-	-	-	-	-	-	-	-	-
Contra Costa	3	22.7	1	7.6	1	7.5	2	15.1	-	-
Del Norte	-	-	-	-	-	-	-	-	-	-
El Dorado	-	-	-	-	-	-	-	-	-	-
Fresno	4	28.0	2	14.0	-	-	3	19.5	2	12.7
Glenn	-	-	-	-	-	-	-	-	1	228.3
Humboldt	-	-	-	-	-	-	-	-	-	-
Imperial	1	38.9	1	38.5	-	-	1	34.4	3	100.3
Inyo	-	-	-	-	-	-	-	-	-	-
Kern	3	25.7	4	34.1	1	8.2	1	7.8	3	22.7
Kings	-	-	-	-	-	-	-	-	1	41.6
Lake	-	-	-	-	-	-	-	-	-	-
Lassen	-	-	-	-	-	-	-	-	-	-
Los Angeles	42	26.7	30	19.5	28	18.5	30	19.7	28	18.4
— Long Beach ¹	2	23.8	2	24.4	1	12.6	-	-	2	24.9
— Pasadena ¹	-	-	-	-	-	-	-	-	1	45.1
Madera	-	-	-	-	-	-	-	-	-	-
Marin	-	-	2	69.8	-	-	-	-	-	-
Mariposa	-	-	-	-	-	-	-	-	-	-
Mendocino	-	-	-	-	-	-	-	-	-	-
Merced	-	-	-	-	-	-	-	-	-	-
Modoc	-	-	-	-	-	-	-	-	-	-
Mono	-	-	-	-	-	-	-	-	-	-
Monterey	-	-	-	-	-	-	1	13.5	-	-
Napa	-	-	1	63.9	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-
Orange	6	12.8	2	4.4	5	11.2	2	4.4	6	13.2
Placer	-	-	-	-	-	-	-	-	-	-
Plumas	-	-	-	-	-	-	-	-	-	-
Riverside	3	12.1	2	7.9	1	3.7	4	14.3	1	3.4
Sacramento	2	11.0	-	-	-	-	-	-	1	4.8
San Benito	-	-	-	-	-	-	-	-	-	-
San Bernardino	2	7.0	-	-	-	-	3	9.7	1	3.2
San Diego	3	6.8	7	16.0	3	6.8	10	22.0	7	15.3
San Francisco	1	11.6	1	12.1	-	-	-	-	1	11.7
San Joaquin	5	52.1	1	10.2	4	39.4	-	-	-	-
San Luis Obispo	-	-	-	-	-	-	-	-	-	-
San Mateo	-	-	-	-	-	-	-	-	-	-
Santa Barbara	-	-	1	17.8	1	17.6	1	17.2	1	17.0
Santa Clara	1	3.6	2	7.4	3	11.1	6	22.2	5	18.6
Santa Cruz	-	-	-	-	-	-	-	-	-	-
Shasta	-	-	-	-	-	-	-	-	-	-
Sierra	-	-	-	-	-	-	-	-	-	-
Siskiyou	-	-	-	-	-	-	-	-	-	-
Solano	-	-	-	-	-	-	-	-	-	-
Sonoma	-	-	-	-	-	-	-	-	-	-
Stanislaus	2	27.6	-	-	1	12.6	1	12.5	-	-
Sutter	-	-	-	-	-	-	-	-	1	72.1
Tehama	-	-	-	-	-	-	-	-	-	-
Trinity	-	-	-	-	-	-	-	-	-	-
Tulare	1	13.8	1	13.7	-	-	-	-	1	12.8
Tuolumne	-	-	-	-	-	-	-	-	-	-
Ventura	-	-	-	-	1	8.6	-	-	-	-
Yolo	-	-	-	-	-	-	-	-	-	-
Yuba	-	-	-	-	-	-	-	-	-	-

¹ City Health Department numbers are included in their respective county totals.

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Finance, Demographic Research Unit, *Historical and Projected Births by County, 1990-2013, with Births by Age of Mother and Fertility Rates*. Sacramento, California, September 2004

State of California, Department of Health Services, Vital Statistics Section, *Live Births by Race/Ethnic Group of Mother, California Counties and Selected City Health Departments, California, 2003*

Revised 05/09/2005

Congenital Syphilis in Infants < 1 Year of Age, Cases and Rates by Race/Ethnicity of Mother, California, 2000–2004 Provisional Data

RACE/ ETHNICITY	2000		2001		2002		2003		2004	
	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate	Cases	Rate
CALIFORNIA	82	15.4	62	11.8	49	9.3	69	12.8	64	11.7
Native American/Alaskan Native	0	0.0	0	0.0	1	50.9	0	0.0	1	49.3
Asian/Pacific Islander	5	8.2	1	1.7	1	1.6	5	7.8	2	3.1
African-American/Black	13	40.2	10	32.3	8	26.8	14	47.9	11	37.2
Hispanic/Latina	58	22.5	45	17.2	34	12.9	45	16.7	43	15.8
White	6	3.6	6	3.7	4	2.5	5	3.1	6	3.6
Not Specified	0	-	0	-	1	-	0	-	1	-

Note: Rates are per 100,000 live births.

Source: California Department of Health Services, STD Control Branch

State of California, Department of Health Services, Vital Statistics Section, *Live Births by Race/Ethnic Group of Mother, California Counties and Selected City Health Departments, California, 2003*
(2004 denominator data was created by multiplying the 2003 race/ethnic percent distribution by the 2004 projected births.)

Congenital Syphilis in Infants < 1 Year of Age, Cases by Classification, California Counties & Selected City Health Jurisdictions, 2004 Provisional Data

COUNTY	Total Cases	Confirmed Cases	Stillbirth Cases	Presumptive Cases	
				Probable ¹	Possible ²
CALIFORNIA	64	0	0	41	23
Alameda	1	-	-	-	1
— Berkeley ³	-	-	-	-	-
Alpine	-	-	-	-	-
Amador	-	-	-	-	-
Butte	-	-	-	-	-
Calaveras	-	-	-	-	-
Colusa	-	-	-	-	-
Contra Costa	-	-	-	-	-
Del Norte	-	-	-	-	-
El Dorado	-	-	-	-	-
Fresno	2	-	-	-	2
Glenn	1	-	-	-	1
Humboldt	-	-	-	-	-
Imperial	3	-	-	2	1
Inyo	-	-	-	-	-
Kern	3	-	-	-	3
Kings	1	-	-	-	1
Lake	-	-	-	-	-
Lassen	-	-	-	-	-
Los Angeles	28	-	-	25	3
— Long Beach ³	2	-	-	1	1
— Pasadena ³	1	-	-	-	1
Madera	-	-	-	-	-
Marin	-	-	-	-	-
Mariposa	-	-	-	-	-
Mendocino	-	-	-	-	-
Merced	-	-	-	-	-
Modoc	-	-	-	-	-
Mono	-	-	-	-	-
Monterey	-	-	-	-	-
Napa	-	-	-	-	-
Nevada	-	-	-	-	-
Orange	6	-	-	3	3
Placer	-	-	-	-	-
Plumas	-	-	-	-	-
Riverside	1	-	-	-	1
Sacramento	1	-	-	1	-
San Benito	-	-	-	-	-
San Bernardino	1	-	-	1	-
San Diego	7	-	-	4	3
San Francisco	1	-	-	1	-
San Joaquin	-	-	-	-	-
San Luis Obispo	-	-	-	-	-
San Mateo	-	-	-	-	-
Santa Barbara	1	-	-	1	-
Santa Clara	5	-	-	3	2
Santa Cruz	-	-	-	-	-
Shasta	-	-	-	-	-
Sierra	-	-	-	-	-
Siskiyou	-	-	-	-	-
Solano	-	-	-	-	-
Sonoma	-	-	-	-	-
Stanislaus	-	-	-	-	-
Sutter	1	-	-	-	1
Tehama	-	-	-	-	-
Trinity	-	-	-	-	-
Tulare	1	-	-	-	1
Tuolumne	-	-	-	-	-
Ventura	-	-	-	-	-
Yolo	-	-	-	-	-
Yuba	-	-	-	-	-

CDC Algorithm for Presumptive Cases

¹ Mother not treated adequately or treatment unknown before or during pregnancy; or mother treated adequately before or during pregnancy, but evidence of treatment failure or reinfection.

² Mother treated adequately before or during pregnancy, but response was equivocal or could not be determined prior to delivery and infant was not evaluated.

³ City Health Department numbers are included in their respective county totals.